



STATE OF HAWAII
DEPARTMENT OF HUMAN SERVICES
HAWAII PUBLIC HOUSING AUTHORITY
1002 NORTH SCHOOL STREET
POST OFFICE BOX 17907
Honolulu, Hawaii 96817

IN REPLY PLEASE REFER TO:

ADDENDUM NO. 2

TO THE
PLANS AND SPECIFICATIONS
FOR FURNISHING LABOR AND MATERIALS
FOR

Reroofing to Kalakaua Homes, HA 1062
Honolulu, Hawai'i
Tax Map Key No.: 2-3-019:004

HPHA JOB NO. 09-035-162-SF
IFB-CMS-2009-35

January 28, 2010

NOTICE TO ALL PROSPECTIVE BIDDERS:

The Hawai'i Public Housing Authority (HPHA) is issuing this Addendum No. 2 to the Invitation for Bid, HPHA Job No. 09-035-162-SF for the Reroofing of Kalakaua Homes.

This Addendum modifies the original solicitation documents for the project dated January 2010. The item in this Addendum shall govern the work, taking precedence over previously issued specifications, drawings and addendums governing the items mentioned. Acknowledge receipt of this Addendum in the space provided on the sealed Bid Form.

A. CHANGES TO SPECIFICATIONS:

1. DIVISION 7 – Thermal and Moisture Protection

- a. SECTION 07015 – Preparation for Re-roofing as modified by
Addendum 1

Subparagraph 2.01.A .1. Delete granule surfaced membrane cap sheet
ASTM D6222, Grade G. Add smooth surfaced membrane cap sheet
ASTM D6222, Grade S.

Subparagraph 2.01.A .1. Delete granule surfaced membrane cap sheet
ASTM D6164, Grade G. Add smooth surfaced membrane cap sheet
ASTM D6164, Grade S.

Delete subparagraph 3.04.B.3

All other items and conditions shall remain in full force and effect.

APPROVED BY:



Rick T. Sogawa
Acting Procurement Officer

